

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	666	(380/239)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:02
L2	346	(380/211)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:03
L3	50	(380/239)(380/211)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:03
L4	104	"conditional access" "encryption" "keys" "default" "set top" "cable" "memory" "non- volatile" @ad<""20031103""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:03
L5	225	"conditional access" "encryption" "keys" "default" "set top" "cable" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:04
L6	179	"conditional access" "encryption" "failure" "set top" "cable" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:04
L7	184	"conditional access" "encryption" "failure" "set top" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:04
L8	0	("default encryption" "live encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:05
L9	0	("default encryption" "fixed encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:06
L10	0	("default encryption" "live" "encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:06
L11	0	("default encryption" "fixed" "encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:06

L12	2	("conditional access" "live" "encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:06
L13	0	("conditional access" "live encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:07
L14	0	("conditional access" "fixed encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:07
L15	0	("audio/video" "fixed encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:07
L16	0	("audio/video" "live encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:07
L17	0	("code word" "live encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:07
L18	0	("code word" "fixed encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:08
L19	0	("periodically" "fixed encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:08
L20	0	("periodically" "live encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:08
L21	0	("changing code word" "encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:08
L22	0	("changing code words" "encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:08
L23	0	("periodically change keys" "encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:09
L24	0	("periodically change keys" "live encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:09

L25	0	("periodically change keys" "fixed encryption keys").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:09
L26	0	("periodically change keys" "code words").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:09
L27	0	("periodically change" "encryption keys" "code words").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:09
L28	0	("fixed default encryption").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:10
L29	0	("conditional access" "fixed default encryption").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:10
L30	0	("conditional access" "fixed encryption").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/28 01:10
S3965	12	"set top box" "default" "encryption keys" "cable" "non- volatile memory" "signaling" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/25 22:38
S3966	29	"set top" "box" "default" "encryption keys" "cable" "non- volatile memory" "signaling" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/14 22:10
S3967	66	"set top" "box" "default" "encryption keys" "cable" "signaling" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/06 21:48
S3970	252	"set top" "access" "default" "encryption key" "channel" "cable" "keys" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/14 22:11
S4025	71	"set top box" "default" "encryption keys" "cable" "conditional access" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/24 00:14
S4035	253	"set top" "access" "default" "encryption key" "channel" "cable" "keys" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 01:40
S4065	212	"set top box" "default" "encryption keys" "cable" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/12 00:57

S4066	79	"set top box" "default" "encryption keys" "cable" "non-volatile" "channels" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/12 00:58
S4067	447	(380/239)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/14 22:07
S4068	268	(380/211)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/14 22:08
S4069	36	(380/239)(380/211)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/14 22:08
S4070	110	"set top" "access" "default" "encryption keys" "channel" "cable" "keys" "conditional access" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 17:34
S4071	11	"set top" "box" "default" "encryption keys" "cable" "non-volatile memory" "signaling" "conditional access" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/14 22:10
S4072	33	"set top" "access" "default" "encryption key" "channel" "cable" "keys" "headend" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/14 22:11
S4073	16	"set top box" "default" "encryption keys" "cable modem" "conditional access" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/14 22:11
S4076	72	"set top box" "default" "encryption keys" "cable" "conditional access" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 22:49
S4077	32	"set top box" "default" "encryption keys" "cable" "conditional access" "failure" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/24 00:14
S4078	90	"conditional access" "encryption" "keys" "default" "set top" "cable" "memory" "non-volatile" "channels" @ad<""20031103""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/25 22:38
S4079	97	"conditional access" "encryption" "keys" "default" "set top" "cable" "memory" "non-volatile" @ad<""20031103""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/25 22:39

S4080	202	"conditional access" "encryption" "keys" "default" "set top" "cable" "memory" @ad<"20031103""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/25 22:39
S4081	211	"conditional access" "encryption" "keys" "default" "set top" "cable" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/25 22:39
S4082	168	"conditional access" "encryption" "failure" "set top" "cable" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/25 22:39
S4083	173	"conditional access" "encryption" "failure" "set top" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/25 22:40
S4084	523	(380/239)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:43
S4085	301	(380/211)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:44
S4086	41	(380/239)(380/211)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:44
S4087	14	"set top box" "default" "encryption keys" "cable" "non- volatile memory" "signaling" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:45
S4088	31	"set top" "box" "default" "encryption keys" "cable" "non- volatile memory" "signaling" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:45
S4089	69	"set top" "box" "default" "encryption keys" "cable" "signaling" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:46
S4090	265	"set top" "access" "default" "encryption key" "channel" "cable" "keys" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:46
S4091	76	"set top box" "default" "encryption keys" "cable" "conditional access" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:46
S4092	265	"set top" "access" "default" "encryption key" "channel" "cable" "keys" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:46

S4093	225	"set top box" "default" "encryption keys" "cable" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:47
S4094	82	"set top box" "default" "encryption keys" "cable" "non-volatile" "channels" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:47
S4095	114	"set top" "access" "default" "encryption key" "channel" "cable" "keys" "conditional access" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:47
S4096	31	"set top" "box" "default" "encryption keys" "cable" "non-volatile memory" "signaling" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:47
S4097	34	"set top" "access" "default" "encryption key" "channel" "cable" "keys" "headend" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:48
S4098	17	"set top box" "default" "encryption keys" "cable modem" "conditional access" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:48
S4099	76	"set top box" "default" "encryption keys" "cable" "conditional access" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:49
S4100	34	"set top box" "default" "encryption keys" "cable" "conditional access" "failure" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:49
S4101	92	"conditional access" "encryption" "keys" "default" "set top" "cable" "memory" "non-volatile" "channels" @ad<""20031103""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:49
S4102	100	"conditional access" "encryption" "keys" "default" "set top" "cable" "memory" "non-volatile" @ad<""20031103""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:49
S4103	209	"conditional access" "encryption" "keys" "default" "set top" "cable" "memory" @ad<""20031103""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:49
S4104	209	"conditional access" "encryption" "keys" "default" "set top" "cable" "memory" @ad<""20031103""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:52
S4105	218	"conditional access" "encryption" "keys" "default" "set top" "cable" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:53

S4106	174	"conditional access" "encryption" "failure" "set top" "cable" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:53
S4107	179	"conditional access" "encryption" "failure" "set top" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/16 01:53
S4108	69	"encryption keys" "default encryption" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/10 00:08
S4109	556	(380/239)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/10 00:08
S4110	314	(380/211)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/10 00:08
S4111	42	(380/239)(380/211)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/10 00:08
S4112	79	LEO PEDLOW.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/10 00:09
S4113	181	"conditional access" "encryption" "failure" "set top" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/10 00:09
S4114	176	"conditional access" "encryption" "failure" "set top" "cable" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/10 00:09
S4115	219	"conditional access" "encryption" "keys" "default" "set top" "cable" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/10 00:10
S4116	101	"conditional access" "encryption" "keys" "default" "set top" "cable" "memory" "non- volatile" @ad<""20031103""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/10 00:10
S4117	609	(380/239)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/05/21 23:08
S4118	336	(380/211)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/05/21 23:08

S4119	46	(380/239)(380/211)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/05/21 23:09
S4120	103	"conditional access" "encryption" "keys" "default" "set top" "cable" "memory" "non- volatile" @ad<""20031103""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/05/21 23:09
S4121	222	"conditional access" "encryption" "keys" "default" "set top" "cable" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/05/21 23:10
S4122	177	"conditional access" "encryption" "failure" "set top" "cable" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/05/21 23:10
S4123	182	"conditional access" "encryption" "failure" "set top" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/05/21 23:10

9/28/2009 1:11:06 AM

C:\Documents and Settings\cjohnson7\My Documents\EAST\Workspaces\applications\10795929 9-4-2007.wsp